

PRODUCT NAME: ABRO Auto Glass Cleaner

PRODUCT NUMBER/SIZE: GC-450 / 22 oz. Revision Date: 10/29/2014

SECTION 1

Identification of the Substance and of the Company/Undertaking

MANUFACTURER'S NAME: ABRO INDUSTRIES, INC.

ADDRESS: 3580 Blackthorn Court

South Bend, IN 46628

USA

PRODUCT DESCRIPTION: Auto glass cleaner

COMPANY PHONE: 574-232-8289

EMERGENCY 24-HR TELEPHONE: Chemtrec: US/Canada 1-800-424-9300

International +1-703-527-3887

SECTION 2 Hazards Identification

HMIS: Health 2 Flamm. 1 React. 0 NFPA: Tox. 2 Flamm. 1 React. 0

Classification:

Non-Flammable Aerosol – Category 3 Skin Irritation - Category 2 Eye Irritation – Category 2B

Label Pictogram(s):



Signal Word: WARNING

Hazard Phrases: Pressurized container: may burst if heated. Causes skin and eye irritation

Precautionary Phrases:

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not spray on an open flame or other ignition source. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective

gloves.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove

victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Take off all contaminated clothing and wash it before reuse. Wash with plenty of water. If skin irritation occurs, get medical attention.



IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, seek medical attention.

Storage / Disposal:

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Other: Keep out of reach of children. If medical advice is needed, have product

container or label at hand. Read label before use

SECTION 3 Composition/Information on Ingredients

| COMPONENTS | CAS Number | OSHA PEL | ACGIH TLV | Percent by weight |
|--------------------------------------|------------|---------------------------------|-----------|-------------------|
| Ethyl Alcohol | 64-17-5 | 1000 ppm | 1000 ppm | 2 % |
| **Ethylene Glycol Monobutyl Ether | 111-76-2 | 50 ppm 240 mg/m ³ | 20 ppm | 2 % |
| Propane | 74-98-6 | Unknown | 1000 ppm | 2 % |
| n-Butane | 106-97-8 | Unknown | 800 ppm | 2 % |
| Non Hazardous Ingredients | | None | None | 92 % |

^{**} Indicates ingredients that are subject to the reporting requirements of Section 313 of EPCRA and 40 CFR 372. Components of a blended material regulated under section 313 of SARA.

SECTION 4 First Aid Measures

First Aid Measures

Immediate Medical Attention:

Provide general supportive measures and treat symptomatically.

Eyes Immediately flush eyes with water for at least 15 minutes. Get medical

attention if any irritation persists.

Skin Remove contaminated clothing and wash skin thoroughly with water. Get

medical attention if irritation persists.

Ingestion DO NOT induce vomiting unless directed to do so by a physician or poison

control center. DO NOT give any liquids. Get medical attention immediately. Small amounts which accidentally enter the mouth should be rinsed out until

the taste is gone.

Inhalation Remove victim to fresh air. Apply artificial respiration if necessary. Get

medical attention.

Signs & Symptoms Of Over Exposure:

Inhalation of vapors, mist or spray can cause irritation to nose, throat and lungs, and higher concentrations may cause headaches, dizziness,

lungs, and higher concentrations may cause headaches, dizziness,

anesthesia, drowsiness, unconsciousness and other central nervous system



effects. Direct contact with material can cause severe irritation or damage to eyes. May cause severe skin irritation with prolonged or repeated contact. Removes natural oils and fats from skin. Small amounts of this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe pulmonary injury, possibly progressing to death. This product has a low order of oral toxicity.

Special Treatment: None. Treat symptomatically.

SECTION 5
Fire Fighting Measures

Extinguishing media Water spray, regular foam, dry chemical, CO₂

Hazardous Combustion: Unknown

Protective Equipment and Precautions for firefighters:

Keep containers cool using water spray to avoid bursting containers. Wear full firefighting gear and respiratory protection.

Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures

above 120°F may cause container to burst.

Flammability per Flame Projection Test

NON-FLAMMABLE

SECTION 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Wear protective gloves and protective eyewear.

Methods/materials for containment and cleanup:

Absorb spill with inert material then place in a chemical waste container. Dispose of spill material in accordance with local, state

or federal regulations.

Environmental precautions: None required.

SECTION 7 Handling and Storage

Precautions for Safe Handling CAUTION: CONTENTS UNDER PRESSURE. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas. Keep away from heat, sparks or open flames. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container.

Conditions for Safe Storage

Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container. Do not store in direct sunlight. Store in a cool, dry, well-ventilated area away from incompatible materials. Store in accordance with NFPA 30B for Level 1



Aerosols.

| SECTION 8 |
|--|
| Exposure Controls/Personal Protection |

| COMPONENTS | CAS Number | OSHA PEL | ACGIH TLV |
|------------------------------------|------------|---------------------------------|-----------|
| Ethyl Alcohol | 64-17-5 | 1000 ppm | 1000 ppm |
| Ethylene Glycol Monobutyl Ether | 111-76-2 | 50 ppm 240 mg/m ³ | 20 ppm |
| Propane | 74-98-6 | Unknown | 1000 ppm |
| n-Butane | 106-97-8 | Unknown | 800 ppm |

Engineering Controls: Maintain adequate ventilation.

Personal Protective Equipment:

Skin Wear CHEMICAL RESISTANT GLOVES if repeated skin contact

occurs or causes irritation.

Eyes Wear SAFETY GLASSES or GOGGLES to prevent eye contact.

Respiratory Use respirator only as a last resort to control exposure.

SECTION 9 Physical and Chemical Properties

Appearance and Physical State: Colorless, clear liquid mixture packaged in

pressurized aerosol spray can.

Odor:
Odor Threshold:
Unknown.

pH:
9.3 – 10.3

Melting Point/Freezing Point:
Not Available.

Initial boiling point & boiling range:
Flash Point:
Not Available.

Evaporation rate: Less than 1.0 (BuAc=1)

Flammability (solid, gas)
Upper/lower flammability or explosive limits
Vapor pressure
Vapor density

Not Available.
Not Available.
Not Available.
Not Available.

Relative density / Specific gravity 0.988 – 1.008g/ml (concentrate).

SolubilityInsoluble in waterPartition Coefficient n-Octanol/WaterNot AvailableAuto-ignition Temperature:Not Available.

Decomposition Temperature:Not Available.
Viscosity:
Not Available.

%-VOC Content: 8.40 %

CARB VOC Category/Standard(%) Glass Cleaner-Aerosol/12% Dec. 31, 2012 – 10%

OTC Model Rule Category/Standard(%)
US EPA Cons Prod Category/Standard(%)
Glass Cleaner-Aerosol/12%
Glass Cleaner-Aerosol/12%



SECTION 10 Stability and Reactivity

Reactivity Product is non-reactive under normal conditions of use.

Chemical Stability: Product is stable

Possibility of hazardous reactions: None known.

Conditions to avoid (e.g. static

Heat, fire, sparks, open flames, ignition sources, temperatures

discharge, shock or vibration): above 120°F

Incompatibilities: Avoid contact with strong oxidizers

Hazardous decomposition

products:

CO, CO₂, and hydrocarbons.

Hazardous polymerization: Will not occur

SECTION 11 Toxicological Information

Likely Routes of Exposure: Skin or eye contact and inhalation

Symptoms: Not Available.

Delayed and Immediate Effects: Not Available.

Chronic Effects: Not Available.

Toxicity Measures: None

NTP Carcinogen: No IARC Carcinogen: No OSHA Carcinogen: No

SECTION 12 Ecological Information

Ecotoxicity: Not toxic to aquatic systems.

Persistence and Degradability:

Not Available.

_ - g.

Bioaccumulation Potential: Not Available.

Mobility in Soil: Not Available.

Other Adverse Effects: Not Available.



SECTION 13 Disposal Considerations

Storage and Disposal Keep out of reach of children. Do not store near heat, sparks, or open

flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container. Do not store in direct sunlight. Store in a cool, dry, well-ventilated area away from incompatible materials. Store in accordance with NFPA 30B for Level 1

Aerosols.

Waste Disposal Method: Before offering for recycling, empty the container by using the product

according to the label. If recycling is not available, wrap the container and

discard in the trash. Dispose of unused product in accordance with

regulations.

SECTION 14 Transport Information

Multi-modal shipping descriptions are provided for informational purposes and do not consider container sizes. The presence of a shipping description for a particular mode of transport (ocean, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport.

U.S. DOT UN/ID Number: UN1950

Proper shipping name: Aerosols Hazard class: 2.2 Packing Group: None

Exceptions: May be shipped as a limited quantity or consumer commodity

Environmental Hazards: No

Transport in Bulk: Not Applicable. Special Precautions: ERG#126

IMO/IMDG UN/ID Number: UN1950

Proper shipping name: Aerosols
Hazard class: 2.2
Packing Group: None

Exceptions: May be shipped as a limited quantity

Environmental Hazards: No

Transport in Bulk: Not Applicable Special Precautions: EmS F-D, S-U

ICAO/IATA UN/ID Number: UN1950

Proper shipping name: Aerosols, non-flammable

Hazard Class: 2.2 Packing Group: None

Exceptions: May be shipped as a limited quantity or reclassified to ID8000

Environmental Hazards: No

Transport in Bulk: Not Applicable

Special Precautions: None

Canada UN/ID Number: UN1950

(TDG) Proper shipping name: Aerosols, non-flammable

Hazard class: 2.2



Packing Group: None

Exceptions: May be shipped as a limited quantity

Environmental Hazards: No

Transport in Bulk: Not Applicable Special Precautions: ERG#126

SECTION 15 Regulatory Information

Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986:

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

SECTION 16 Other Information

We believe all information given is accurate. It is offered in good faith but without guarantee. Since conditions of use are beyond our control, user assumes all responsibility and risk.

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

ABBREVIATIONS:

NG="NOT GIVEN" BT="BETWEEN" <="LESS THAN" >="GREATER THAN" ND = Not Determined NA = Not Applicable