

PRODUCT NAME: ABRO Industrial Hand Cleaner w/Cherry

Fragrance

PRODUCT NUMBER/SIZE: HC-002 Revision Date: 07/20/2015

SECTION 1

Identification of the Substance and of the Company/Undertaking

MANUFACTURER'S NAME: ABRO INDUSTRIES, INC.

ADDRESS: 3580 Blackthorn Court

South Bend, IN 46628

USA

PRODUCT DESCRIPTION: Hand Cleaner

COMPANY PHONE: 574-232-8289

EMERGENCY 24-HR TELEPHONE: Chemtrec: US/Canada 1-800-424-9300

International +1-703-527-3887

SECTION 2 Hazards Identification

| Health | 0 |
|-----------------|---|
| Flammability | 0 |
| Physical Hazard | 0 |

Classification:

None

Label Pictogram(s):

None

Signal Word: None

Hazard Phrases: None

Precautionary

Phrases:

None

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

Storage /

None available

Disposal:

Other: Keep out of reach of children



SECTION 3 Composition/Information on Ingredients

| COMPONENTS | CAS Number | Percent by weight |
|------------------------------------|--------------|-------------------|
| WATER | 0007732-18-5 | 43% - 54% |
| NONYL PHENOL ETHOXYLATE | 0127087-87-0 | 7% - 17% |
| ISOPARAFFINIC PETROLEUM DISTILLATE | 0064742-47-8 | 6% - 14% |
| PUMICE | 0001332-09-8 | 5% - 13% |
| MINERAL OIL, SLAB OIL | 0008042-47-5 | 4% - 10% |
| PROPYLENE GLYCOL | 0000057-55-6 | 3% - 7% |

SECTION 4 First Aid Measures

Description of necessary first aid measures

Eye Contact If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing

water for 5 minutes, while holding the eyelids open. If eye irritation

persists: Get medical advice/attention.

Skin Contact Take off immediately all contaminated clothing, shoes, and leather

goods(e.g., watchbands, belts). Gently blot or brush away excess product. Wash with plenty of lukewarm, gently flowing water for a

duration of 5 minutes. If you feel unwell: Call a

POISONCENTER/doctor.

Ingestion Rinse mouth. If you feel unwell/If concerned: Get medical

advice/attention.

SECTION 5 Fire Fighting Measures

Dry chemical, foam, carbon dioxide water spray or fog is

Suitable Extinguishing Media: recommended. Water spray is recommended to cool or protect

exposed materials or structures. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam. Sand or earth may be

used for small fires only.

Unsuitable Extinguishing Media: None.

Fire-Fighting Procedures: Isolate immediate hazard area and keep unauthorized personnel

out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.



SECTION 6 Accidental Release Measures

Environmental Precautions: Stop spill/release if it can be done safely. Prevent spilled material

from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other

appropriate barriers.

SECTION 7 Handling and Storage

General: Wash hands after use. Do not get in eyes, on skin or on clothing.

Do not breathe vapors or mists. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating

areas.

Storage Room Requirements:

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well-ventilated areas away from heat, direct sunlight and incompatibilities. Store in approved containers and protect against physical damage. Keep

containers securely sealed when not in use.

Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent

leakage. Empty container retain residue and may be dangerous.

Store at temperatures between 40°F and 100°F.

SECTION 8 Exposure Controls/Personal Protection

Eye Protection:

DISTILLATE

Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids. If additional protection is needed for entire face, use in combination with a face shield.

| Chemical Name | ie | OSHA TWA (ppm) | OSHA TWA (mg/m3) | OSHA STEL (ppm) | OSHA STEL (mg/m3) | OSHA- Tables- Z1,2,3 | OSHA Carcinogen | OSHA Skin designation | NIOSH TWA (ppm) | NIOSH TWA (mg/m3) | NIOSH STEL (ppm) | NIOSH STEL (mg/m3) | NIOSH Carcinogen |
|--|--------------------|----------------------|------------------------|-------------------------|-------------------------|----------------------------|--------------------|--------------------------|-----------------------|-------------------------|------------------------|--------------------------|---------------------|
| ISOPARAFFIN PETROLEUM DISTILLATE | | | | | | 1 | | | | | | | |
| Ch | hemical N | ame | ACGIH TWA (ppm) | ACGIH TWA (mg/m3) | ACGIH STEL (ppm) | ACGIH STEL (mg/m3) | | | | | | | |
| 1 | OPARAFI ETROLEU | | 10(IFV) | | | | | | | | | | |

SECTION 9 Physical and Chemical Properties

Physical and Chemical Properties

Density 8.53556 lb/gal



 Density VOC
 0.00000 lb/gal

 % VOC
 0.00000%

 VOC Actual
 0.00000 lb/gal

 VOC Regulatory
 0.00000 g/l

Appearance N.A.
Odor Threshold N.A.
Odor Description Cherry
pH 6.5
Water Solubility Emulsion

Flammability Will not burn Flash Point Symbol N.A. Flash Point N.A. Viscosity N.A. Lower Explosion Level N.A. Upper Explosion Level N.A. Vapor Pressure N.A. Melting Point N.A. Vapor Density N.A. Freezing Point N.A. Low Boiling Point N.A. High Boiling Point N.A. Decomposition Pt 0 Auto Ignition Temp N.A.

SECTION 10 Stability and Reactivity

N.A.

N.A.

Stability:

Stable

Conditions to Avoid:

Keep from freezing

Evaporation Rate

VOC Composite Partial Pressure

Incompatible Materials:

None known.

Hazardous Reactions/Polymerization:

Will not occur.

Hazardous Decomposition Products:

None known.

SECTION 11 Toxicological Information

Skin Corrosion/Irritation:

No data available

Serious Eye Damage/Irritation:

Concentrate is an eye irritant and may cause irritation, redness, or tearing.

Carcinogenicity:

No data available

Germ Cell Mutagenicity:

No data available



Reproductive Toxicity:

No data available

Respiratory/Skin Sensitization:

No data available

Specific Target Organ Toxicity - Single Exposure:

No data available

Specific Target Organ Toxicity - Repeated Exposure:

No data available

Aspiration Hazard:

No data available

Acute Toxicity:

No data available

SECTION 12 Ecological Information

Toxicity:

No data available.

Persistence and Degradability:

No data available.

Bio-Accumulative Potential:

No data available.

Mobility in Soil:

No data available.

Other Adverse Effects:

No data available.

Bio-accumulative Potential

0064742-47-8 ISOPARAFFINIC PETROLEUM DISTILLATE

Contains constituents with the potential to bio accumulate.

Mobility in Soil

0064742-47-8 ISOPARAFFINIC PETROLEUM DISTILLATE

Floats on water. Contains volatile constituents. Evaporates within a day from water or soil surfaces. Large volumes may penetrate soil and could contaminate groundwater.

Persistence and Degradability

0064742-47-8 ISOPARAFFINIC PETROLEUM DISTILLATE

Expected to be inherently biodegradable. The volatile constituents will oxidize rapidly by photochemical reactions in air.

SECTION 13 Disposal Considerations

Waste Disposal:

Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.



SECTION 14 Transport Information

Multi-modal shipping descriptions are provided for informational purposes and do not consider container sizes. The presence of a shipping description for a particular mode of transport (ocean, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport.

U.S. DOT UN/ID Number: Not Regulated

Proper shipping name:

Hazard class: Packing Group: Exceptions:

Environmental Hazards: Transport in Bulk:

Special Precautions:

IMO/IMDG UN/ID Number: Not Regulated

Proper shipping name:

Hazard class:
Packing Group:
Exceptions:

Environmental Hazards: Transport in Bulk:

Special Precautions:

ICAO/IATA UN/ID Number: Not Regulated

Proper shipping name:

Hazard Class: Packing Group: Exceptions:

Environmental Hazards: Transport in Bulk: Special Precautions:

Canada UN/ID Number: Not Regulated

(TDG) Proper shipping name:

Hazard class: Packing Group: Exceptions:

Environmental Hazards: Transport in Bulk: Special Precautions:

Europe UN/ID Number: Not Regulated (ADR/RID) Proper shipping name:

Hazard class: Packing Group: Exceptions:

Environmental Hazards: Transport in Bulk: Special Precautions:



SECTION 15 Regulatory Information

| CAS | Chemical Name | % By Weight | Regulation List |
|--------------|------------------------------------|-------------|-----------------------|
| 0000057-55-6 | PROPYLENE GLYCOL | 3% - 7% | SARA312,TSCA |
| 0001332-09-8 | PUMICE | 5% - 13% | SARA312,TSCA |
| 0007732-18-5 | WATER | 46% - 60% | TSCA |
| 0008042-47-5 | MINERAL OIL, SLAB OIL | 4% - 10% | SARA312,TSCA |
| 0064742-47-8 | ISOPARAFFINIC PETROLEUM DISTILLATE | 6% - 14% | SARA312,VOC,TSCA,OSHA |
| 0127087-87-0 | NONYL PHENOL ETHOXYLATE | 7% - 17% | SARA312,TSCA |

SECTION 16 Other Information

We believe all information given is accurate. It is offered in good faith but without guarantee. Since conditions of use are beyond our control, user assumes all responsibility and risk.

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

ABBREVIATIONS:

NG="NOT GIVEN"

<="LESS THAN"

ND = Not Determined

NA = Not Applicable